

SC JOYSTICK MAPPER

QUICK REFERENCE GUIDE V 2.23

20160527 – Cassini

- <https://github.com/SCToolsfactory/SCJMapper-V2/releases>
- Change Log: see ReadMe.txt

SC Joystick Mapper - V 2.23.0.57 beta

by Cassini

pp_rebindkeys layout_my_x55_65d

For information and updates visit us @ Github ...

spaceship_general

- v_eject - js2_button46 #
- v_exit
- v_self_destruct
- v_toggle_cabin_lights
- v_toggle_running_lights

spaceship_view

- v_view_yaw_left
- v_view_yaw_right
- v_view_pitch_up
- v_view_pitch_down
- v_view_pitch
- v_view_cycle_fwd - js2_button21
- v_view_cycle_internal_fwd
- v_view_option
- v_view_mode
- v_view_zoom_in - js2_button38
- v_view_zoom_out - js2_button39
- v_view_interact
- v_view_cycle_headlook_mode
- v_view_toggle_headlook_mode
- v_view_dynamic_focus
- v_view_dynamic_focus_in - js2_button38
- v_view_dynamic_focus_out - js2_button39
- v_view_look_behind - js2_button24

spaceship_movement

- v_pitch_up
- v_pitch_down
- v_pitch - js3_y
- v_yaw_left
- v_yaw_right
- v_yaw - js3_x
- v_roll_left
- v_roll_right
- v_roll - js3_rotz
- v_toggle_yaw_roll_swap
- v_throttle_toggle_minmax
- v_throttle_zero - js2_button40
- v_throttle_100 - js2_button41
- v_throttle_up - js2_button35
- v_throttle_down - js2_button33
- v_throttle_abc - ie7_throttle7

Joystick 1 Joystick 2 Joystick 3

Saitek Pro Flight X-55 Rhino Stick

Axis: 3 # POV: 1

Buttons: 17

Joystick State

X-Achse: -2 Slider 1: 0

Y-Achse: -13 Slider 2: 0

Z Axis: 0 Mehrwegesc1 -1

X Rotation: 0 POV 2: -1

Y Rotation: 0 POV 3: -1

Z-Rotation: 37 POV 4: -1

Buttons: 15

jsN - Assignment

This device is listed as: js3

Cmd. ...

Ctrl. js3_lalt+

Assign Throttle Find 1st.

Blend JS / Kbd Clear

Dump XML--> Grab XML

Dump List-->

Dump Log--> Toggle Table...

Dump Profile --> Device Tuning...

Inv. Aim Pitch Inv. Throttle

Inv. View Pitch Inv. Strafe vertical

Inv. Aim Yaw Inv. Strafe lateral

Inv. View Yaw Inv. Strafe longitudinal

Mapping name: layout_my_x55_65d

Dump and Save my Mapping

Profiles: Reset... Support: profile version="1" optionsVersion="2" rebindVersion="2" Mappings: layout_my_x55_65d Load...

Disclaimer: Usual stuff – no warranty whatsoever..

Freeware – made for the SC community

Hope it helps and does not suck.

Have fun in the verse ...



General Information

- Connect the game control devices to the PC
- Start from scratch or load an existing map from a file
- Make or refine mappings
- Save the new map as an XML file
- Use it in the game: e.g. `pp_rebindkeys layout_my_joystick`
- You may load and save the map directly from your game folders
so next time you just use `pp_rebindkeys layout_my_joystick`

Note: the predefined actions are the ones found in the SC game default profile – it is likely that some of them will not work at all as the game is not finished. There is no proper description for which one does what – you may get help in SC Forums.

BTW: if you copy e.g. “`pp_rebindkeys layout_my_joystick`” from notepad you may use Ctrl-V to paste it in-game into the console – saves you some typing...


Console .. Opens with the top left key usually right below the “Esc” key
- depends on your keyboard

If you encounter an error or crash then read on...

- ◆ You will find ‘log4net.config.OFF’ in the distribution zip.
- ◆ Rename it to ‘log4net.config’ and run the program.
- ◆ Then look for a file named ‘trace.log’ in the program folder and
- ◆ send this to cassini@burri-web.org along with a description of the problem and your system i.e. OS, CPU, Graphics card, Joystick(s)
- ◆ we may then finally solve the issue ...


SCJMapper V 2 – Common Workflows

The Workflow




The GUI

The user interface is all laid out for direct access — there are no menus



- ⇒ Action tree and mappings - shows the tree of action maps and actions derived from the defaultProfile directly from the game folders
- ⇒ There are some filters where you can limit the items shown in the tree
- ⇒ The program detects game devices - each one has its own tab
- ⇒ The XML area shows the outcome of the mapping and is what can be imported in the game directly
- ⇒ The Mapping area is where profile actions can be mapped individually to create the action mapping YOU want to use in the game

Game Devices




The tabs represent the game devices found connected to the PC. The program can show up to 9 devices.

The sequence 1..8 shows the order the PC reports them which is crucial to the mapping as this will result in the default js1_, js2_ .. Names used to build the command name.

A summary of the capabilities is shown in the top area.

A tooltip indicates the real name of the device - move and point the mouse to any Tab to show the indicator.



The elements shown in 'Joystick State' are the ones the device seems to support – greyed ones are not available for this device.

You will see the actual jsN assignment - or 'not assigned'.

The SC-Device to Joystick Mapping is a separate window accessed by hitting the 'Js Reassign' button.

Just hit any button, Axis of the device and see how things are changing.

Note: the range for Axis is set to -1000 .. +1000 by the program and is not what other applications may show you.

Action Tree and mappings

Action Tree

The action tree is initially built from the games defaultProfile - so these are the known actions which are grouped along 'action maps' e.g. 'spaceship_movement'. Each action is predefined for a specific device.

There are joystick, keyboard, mouse, and gamepad actions indicated by the icon.

– This is given by the SC default profile and cannot be changed. An action may e.g. not be available for the joystick.

Rebinding:

By 'rebinding' or mapping and action with a different control one does replace the default one.

Overwriting a keyboard action will result in having it available with a different command in the game.

You can only map actions using the same device as in the profile i.e. a keyboard action cannot be mapped with a joystick control.

If actions are mapped (as shown) the color indicates which device is mapped.

The device tab colors match the entries, keyboard and mouse have distinct colors.

If the background is white - there is no current mapping given.

Unmapped actions are ignored.

V 2.22 added:

Underlined items indicate an ActionModifier is applied in defaultProfile

Selecting an Action:

Click on any action to make it the used action in the mapping area.

Once selected it is marked



with the green arrow

A regular action tree

Action Tree Filters

spaceship_general
spaceship_view
spaceship_movement
 v_throttle_zero - js3_button42
 v_throttle_abs - js3_slider1
spaceship_targeting
spaceship_turret
spaceship_weapons
spaceship_missiles
spaceship_defensive
spaceship_auto_weapons
spaceship_power
spaceship_radar
spaceship_hud
zero_gravity_general
zero_gravity_eva
IFCS_controls
multiplayer
singleplayer
invite
player
flycam
vehicle_general
vehicle_driver
vehicle_gunner

Joystick Gamepad Keyb. Mouse Mapped

Action Filter: thro


Filtered action tree - showing mapped joystick items with "thro"

Action Tree Filters

The action tree has a vast number of entries. So for convenience you may filter the shown items to the one you are interested in.

Device Filter


With the checkboxes at the bottom you may restrict the shown item to a particular category.



Check categories you want to see


Mapped Only

Restricts to show only mapped items



Action Filter

Accepts text entry to match parts of the



action name

Clear Filter

To empty the field

NOTE: Filters only restrict the items shown in the tree

Working with Profiles




Working with profiles

The program gets the actions from the real game asset – so you are always up to the actual values.




From here you may Reset the action list to the following

-RESET EMPTY reverts to just an action list without any mappings

-RESET DEFAULTS loads the Joystick actions mapped with what CIG is providing



Mapping



Whenever you click on an action in the Action Tree it is copied into Cmd. and can be mapped to a Control. The Control (Ctrl.) is the last item you activated on the currently shown device tab. You may also map keyboard and mouse actions.

Devices vs. Keyboard/Mouse

To switch between game devices and keyboard/mouse use the 'JS/Kbd' toggle. Note: keyboard entries are accepted when the Ctrl. Field has the focus

Select the device

To map a device control first select the device tab i.e. if you want to map a control of the second joystick you have to select the 'Joystick 2' Tab first.

Assign

Once you have a mapping that should be used, hit the "Assign" button. The new mapping will be shown in the Action Tree – where it gets the back color of the device it is assigned to.

Throttles

To make any axis a Throttle axis – check the 'Throttle' box ! It is often the Z-Axis. A throttle gets a name like js2_throttlez.

Clear Actions


To clear a mapping – select it in the ActionTree and Click "Clear" - it gets a neutral color and no control in the ActionTree – it is now unmapped.

Find a mapping

You may use "Find 1st" to find the first action where the currently shown Ctrl.

Blending

If you wish to blend a single item from the defaultProfile i.e. hide it from use select an item and then hit the 'Blend' button.



Advanced Mapping

Context Menu


Right click an action opens a context menu giving a choice of functions that are possible right now.

Assign, Blend, Clear behave like the buttons in the main GUI

Add Mapping


Will add a binding to the selected item to use a second control for this item. Such an addition can be mapped like the main entry - also deleted to remove it.

(Note: this does not work in SC2.0/2.1)



Activation Modes

Starting from Profile: there are activation modes listed. Profile indicates what is in the profile as default or 'no ActivationMode' if the profile does not apply one




You may choose a new activation mode for this mapping which is then carried into the XML.

```
<actionmap name="spaceship_view">
  <action name="v_view_cycle_headlook_mode">
    <rebind input="js3_button21" ActivationMode="double_tap" />
  </action>
  <action name="v_view_toggle_headlook_mode">
    <rebind input="js3_rctrl1+button21" />
  </action>
</actionmap>
```

Most notable are double_taps which may be applied by CIG in the profile sometimes and are then carried into the mapping if not changed here.

V2.18 added:

Mappings with ActivationMode changes are marked with "#"






Context Menu of an action



Mapping with user ActivationMode # mark

Joystick mapping with Modifiers



Keyboard Modifiers

Controls can be extended with a Modifier. Right now only keyboard modifiers can be used for joysticks.

Modifiers are preset:

Left/right Shift / Alt / Ctrl keys

Modifiers can be combined.

If you press a modifier it will show up like 'lshift+lctrl+key'

For devices the notation is different - it is prepended by the device tag

E.g. js2_lalt+y (js2_y is the control that is modified here)

For keyboard input press all keys and release them at once.

Sometimes a second attempt is needed to create the proper key sequence.

Clear Modifiers

To clear all modifiers from the input

Press the ESC key for a moment.

V2.18 added:

it will be cleared after ~3-4 seconds

Mouse Mapping

V 2.18 added:

Adding Mouse Commands

Switch to Kbd Mode





Context Menu

Right clicking the 'Ctrl' entry field opens a context menu giving a choice of mouse commands that are possible right now.

The number of buttons is taken from the current mouse input setting - you may need to find out which one is 1,2 ...


V 2.21 added:

Keyboard Tab is here as well as it cannot be entered (navigates the GUI).



Modifiers from keyboard

Can be used to extend mouse commands



XML Dump

XML Format

Mappings are sent to the game using XML formatted files.

The XML Area is where you may find the mapping after hitting the 'Dump' button.

```
<options type="joystick" instance="2">
  <flight_move_roll exponent="1.00" >
    <nonlinearity_curve>
      <point in="0.182" out="0.028"/>
      <point in="0.629" out="0.235"/>
      <point in="0.895" out="0.629"/>
    </nonlinearity_curve>
  </flight_move_roll>
</options>

<deviceoptions name="Saitek Pro Flight X-55 Rhino" >
  <option input="x" deadzone="0.025" />
</deviceoptions>


<deviceoptions name="Saitek Pro Flight X-55 Rhino" >
  <option input="y" deadzone="0.025" />
</deviceoptions>

<deviceoptions name="Saitek Pro Flight X-55 Rhino" >
  <option input="rotz" deadzone="0.025" />
</deviceoptions>

<actionmap name="spaceship_general">
  <action name="v_eject">
    <rebind input="js3_ralt+button24" />
  </action>
  <action name="v_exit">
    <rebind input="js3_button23" />
  </action>
  <action name="v_toggle_cabin_lights">
    <rebind input="js3_button18" />
  </action>
  <action name="v_toggle_running_lights">
    <rebind input="js3_button22" />
  </action>
</actionmap>

<actionmap name="spaceship_view">
  <action name="v_view_cycle_fwd">
    <rebind input="js3_button13" />
  </action>
  <action name="v_view_mode">
    <rebind input="js3_button17" />
  </action>
</actionmap>
```

XML Dump of an action map



The Context Menu

Right click opens a menu where you may choose from:

Copy, Paste, PasteAll, Select All, Open..., Save As...

The usage is rather common here. Once you dumped the mapping you want to "Save" it as "filename.xml" somewhere.

To refine any mapping "Open" the file – the content is shown in the XML Area, then "Grab" it into the ActionTree. Once the refinement is finished – again Save it to a file.

Note: only use properly formatted ActionMaps here. The program may just break if it encounters something unexpected!

Action maps

Working with action maps

(Maps, Mapping etc..)

The program gets the action maps from the USERS game asset – so you are always up to the actual values.

(...\StarCitizen\Public\USER\Controls\Mappings)

From here you may first chose a map, then 'Load' the action map – this will overwrite you XML window in any case




-LOAD loads the map into the XML window only

-LOAD and GRAB loads the map into the XML window and clicks Grab i.e. merges the existing mapping with the one loaded

-RESET, LOAD and GRAB first Reset (empty) the action list (all mappings cleared) then it loads and grabs the new map

-DEFAULT, LOAD and GRAB first Reset (defaults) the action list then it loads and grabs the new map and merges them with the defaults

See page 3 for some common workflows And how to handle them easily.




Your Actionmaps

Working with your own actionmaps



The program not only gets the actionsmaps from the real game asset – but also can save your maps there.

(...\StarCitizen\Public\USER\Controls\Mappings)

- 1.Type a name
- 2.Hit the button – it will then Dump and Save your map into the game folder (asking you to overwrite it if it exists)



Remark: your map name has always to start with '**layout_my_**' to prevent conflicts with CIGs own actionmaps
Lowercase only, no spaces, tabs allowed else you see the red flag ..



A successful Save will show the green flag

Your own maps will then show up like the game provided maps
pp_rebindkeys layout_my_joystick

should load it into the game

Note: For your convenience each Save also makes a copy of into your personal "My Documents\SCJMapper" folder – no work is lost if there is an update that cleans the Mappings folder.

Actiontree as table

REF_ActionMap	ActionName	Device	Def_Binding	Def_Modifier	AddBind	Usr_Binding	Usr_Modifier	Blended
02-spaceship_view	v_view_pitch_up	joystick	js1_hat2_down	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
02-spaceship_view	v_view_pitch_up	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
02-spaceship_view	v_view_pitch_down	joystick	js1_hat2_up	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
02-spaceship_view	v_view_pitch_down	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
02-spaceship_view	v_view_pitch	joystick	js1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
02-spaceship_view	v_view_pitch_absolute	keyboard	kb1_HMD_Pitch	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_pitch_up	joystick	js1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_pitch_up	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_pitch_down	joystick	js1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_pitch_down	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_pitch	joystick	js1_y	Use Profile	<input type="checkbox"/>	js3_y	Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_decoupled_pitch	joystick	js1_y	Use Profile	<input type="checkbox"/>	js3_y	Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_decoupled_pitch_up	joystick	js1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_decoupled_pitch_up	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_decoupled_pitch_down	joystick	js1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
03-spaceship_movement	v_decoupled_pitch_down	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
04-spaceship_targeting	v_aim_pitch	joystick	js1_rctrl+y	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
04-spaceship_targeting	v_aim_pitch_up	joystick	js1_hat2_down	Use Profile	<input type="checkbox"/>	js3_hat1_up	Use Profile	<input type="checkbox"/>
04-spaceship_targeting	v_aim_pitch_up	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
04-spaceship_targeting	v_aim_pitch_down	joystick	js1_hat2_up	Use Profile	<input type="checkbox"/>	js3_hat1_down	Use Profile	<input type="checkbox"/>
04-spaceship_targeting	v_aim_pitch_down	keyboard	kb1_~	Use Profile	<input type="checkbox"/>		Use Profile	<input type="checkbox"/>
05-spaceship_turret	v_aim_pitch_up	joystick	js1_hat2_down	Use Profile	<input type="checkbox"/>	js3_hat1_up	Use Profile	<input type="checkbox"/>
05-spaceship_turret	v_aim_pitch_down	joystick	js1_hat2_up	Use Profile	<input type="checkbox"/>	js3_hat1_down	Use Profile	<input type="checkbox"/>
05-spaceship_turret	v_turret_aim_pitch	joystick	js1_y	Use Profile	<input type="checkbox"/>	js3_y	Use Profile	<input type="checkbox"/>
14-zero_gravity_eva	eva_pitch_up	keyboard	kb1_up	hold	<input type="checkbox"/>	kb1_np_8	Use Profile	<input type="checkbox"/>
14-zero_gravity_eva	eva_pitch_down	keyboard	kb1_down	hold	<input type="checkbox"/>	kb1_np_2	Use Profile	<input type="checkbox"/>

Action Filter

Def Bind Filter

Usr Bind Filter

Joystick Gamepad Mouse Kbd

Edit Blending

Actiontree can be show as table


V2.23 added:

Actiontree as table

“Toggle Table...” will show and hide the Table window (above)



Double clicking a row or clicking the row header will select this item in the Main Windows Action Tree (green arrow).



The table can be filtered with either text and/or the checkboxes
(Note: those filters are not linked with the ones for the main action tree)

Action Filter

Def Bind Filter

Usr Bind Filter

Joystick Gamepad Mouse Kbd

The only editable item in this table is “Blended”. First enable edit with the checkbox. Then click on any of the checkboxes in the Blended column.
Undo will revert, Accept carries all the changes to the main tree but they are not saved yet.
(Note: if you want to discard those changes after “Accept Edits” — “Load..” the map again)


Edit Blending

Mappings:

Blank

Space for future use ...

Settings




There are a number of setting you may need to do for efficient working..

Settings...

Ignore Buttons


Some devices have buttons pressed to switch modes. I may be needed to 'ignore' them to get proper readouts for mapping.

Enter the numbers with a space between - like in the example below



Ignore Action maps

You may not want to deal with all the maps provided by the game - check the ones you want to ignore those maps are hidden from you and will not be processed once ignored.



Settings (2)


Providing a path to the game

In general the program finds the path to the game on its own, however if not, you may direct it to use a given path




The path should be the top folder of the SC installation

Make sure to check the left box to use the path




Use Gamepad

The gamepad needs special treatment - if you want to use a gamepad you have to check the box.




Using PTU Folders


In general the program finds its files in the Public subfolder of the Game installation path. If you are running PTU and want to work with the Test environment - check this box



Changing to and from PTU requires a restart!



Once in PTU mode the program indicates this as shown below



Joystick Assignment

Joystick	Device Name	Assigned Number
Joystick 1	vJoy Device	n.a.
Joystick 2	Saitek Pro Flight X-55 Rhino Stick	js2
Joystick 3	Arduino Micro	js3
Joystick 4		
Joystick 5		
Joystick 6		
Joystick 7		
Joystick 8		

(re) assign the joystick devices to the wanted js - number

Js Reassign...

Go here if you wish to assign a device to a particular js – number or to re-assign the devices to other numbers.

Per default the devices found are assigned along the sequence 1..8 but SC may remap them so here is the place to fix this without having to go through all commands and reassign them.

Notes: The color of the assigned items will not change as it is still the same device but js1 will become js2 for example.

You can leave this dialog with “Accept” only if each device is either assigned to a unique number or to n.a. (not assigned) otherwise an error pops to ask you to fix it or Cancel.

Related SC console commands are:

```
i_DumpDeviceInformation
```

```
pp_ResortDevices joystick 1 2
```

```
pp_rebindkeys export joystick  
pp_rebindkeys export xboxpad
```


Device Tuning 1/3

There are options provided to tune the reaction of a game device


Use 'Device Tuning' to optimize it, it supports:

- Deadzone
- Sensitivity
- Invert
- either Exponent or NonLinearCurve independently for the Yaw-, Pitch-, and Roll- axes.

Note: Tuning will only recognize mapped controls



Hit the 'Device Tuning' button to open the tuning window



Joystick Tuning

Yaw v_yaw - js1_x

- Invert
- Deadzone 0.025
- Sensitivity 1.00
- Exponent 1.00
- PT1 0.336 0.043
- PT2 0.651 0.236
- PT3 0.880 0.703

Pitch v_pitch - js1_y

- Invert
- Deadzone 0.025
- Sensitivity 1.00
- Exponent 1.00
- PT1 0.336 0.043
- PT2 0.651 0.236
- PT3 0.880 0.703

Roll v_roll - js1_rotz

- Invert
- Deadzone 0.050
- Sensitivity 1.00
- Exponent 1.47
- PT1 0.250 0.250
- PT2 0.500 0.500
- PT3 0.750 0.750

Actual mapping for the axis

Live View of the joystick movement

Tuning parameters of the axis

Tuning parameters of the active axis

Joystick IN->OUT map

Turnspeed [seconds per full turn]

Damping - how fast will a movement stop (1=fast)

Activate an axis

Live IN - OUT values scaled 0.. 1

	IN(x)	OUT(y)
Point 1:	0.336	0.043
Point 2:	0.651	0.236
Point 3:	0.880	0.703

Changing Skies

- Out there 1
- Canyon
- Highway
- Skybox.dds
- Shiodome
- Big Sight

sec per 360° turn: 4

damping: 6

Done

Device Tuning 2/3

How to...

There is one active axis – the color frame of the chart indicates the active one (here blue = Yaw) 1

Parameters can be manipulated for the active axis only.

Switch the active one by clicking the Yaw, Pitch, Roll Option (bottom, left) 2

Activating a tuning parameter will activate too 3

Parameters must be 'checked' to be used 3

e.g. Deadzone and NonLinearCurve (Pt1..3) are checked for Yaw

Each axis has it's own set of parameters

Active and Checked (Enabled) parameters can be changed. 3

Deadzone is a simple slider from 0.0 to 0.15 (try it out in the live view)

All other parameters are handled by first choosing it (e.g. Point 1) 4

Changing the value by first left click and hold into the chart area, then moving the mouse up-down and left-right to adjust – then release the mouse button.

Point 1 is usually the leftmost orange marker 5

If you wish to copy the Curve Points to all other axis – click the Copy button 6

Sensitivity and Exponent will only go with up-down movement of the mouse

... Here Roll (Green) is active and Exponent is chosen to be changed. 1

By click, hold and moving down – the exponent was changed from 1.47 to 2.83

The curve represents IN vs OUT of the joystick

If you move the joystick the 'Live' fields will report what's going on:

Point 2: 0.500 0.500 Copy to all axis

Point 3: 0.750 0.750

L Y-Axis: -1.00 -0.93 O

i P-Axis: -0.20 -0.02 F

v R-Axis: 0.21 0.02 F

e

Sometimes it is helpful to just disable one direction of the movement 3



Check OFF for any axis (it just disables it for the Live View)

Hints ...

How to get a list of all game commands when using a map file?


- Load a map using 'Defaults'

- Hit 'Dump List'



... Gets you the complete list of commands in use if you load that map in game

- Right click in the listing to get a context menu to Copy / Paste or Save As..
- The mapping filter checkboxes can be used to limit the listed items



```

*** spaceship_auto_weapons
v_weapon_toggle_ai          . kb1 _ slash          . [1] Use Profile

*** spaceship_power
v_power_focus_group_1      + js3 _ button4        . [1] Use Profile
v_power_focus_group_1      . kb1 _ 1              . [1] Use Profile
v_power_focus_group_2      + js3 _ button3        . [1] Use Profile
v_power_focus_group_2      . kb1 _ 2              . [1] Use Profile
v_power_focus_group_3      + js3 _ button2        . [1] Use Profile
v_power_focus_group_3      . kb1 _ 3              . [1] Use Profile
v_power_reset_focus        + js3 _ button1        . [1] Use Profile
v_power_reset_focus        . kb1 _ 0              . [1] Use Profile
v_power_throttle_up        + js3 _ button6        . [1] Use Profile
v_power_throttle_up        . kb1 _ np_add          . [1] Use Profile
v_power_throttle_down      + js3 _ rctrl+button6  . [1] Use Profile
v_power_throttle_down      . kb1 _ np_subtract    . [1] Use Profile
v_power_throttle_max        + js3 _ button5        # [1] press
v_power_throttle_max        . kb1 _ np_add          # [2] double_tap
v_power_throttle_min        + js3 _ rctrl+button5  # [1] tap
v_power_throttle_min        . kb1 _ np_subtract    . [2] double_tap
v_power_toggle_group_1     + js3 _ rctrl+button4  . [1] smart_toggle
v_power_toggle_group_1     . kb1 _ 4              . [1] smart_toggle
v_power_toggle_group_2     + js3 _ rctrl+button3  . [1] smart_toggle
v_power_toggle_group_2     . kb1 _ 5              . [1] smart_toggle
v_power_toggle_group_3     + js3 _ rctrl+button4  . [1] smart_toggle
v_power_toggle_group_3     . kb1 _ 6              . [1] smart_toggle

*** spaceship_radar
v_radar_toggle_onoff       + js3 _ button16       . [1] Use Profile
v_radar_toggle_active_or_passive + js3 _ button37      . [1] Use Profile
v_radar_toggle_active_or_passive . kb1 _ period         . [1] Use Profile
v_radar_cycle_mode_fwd     + js3 _ button15       . [1] Use Profile
v_radar_cycle_zoom_fwd     + js3 _ button14       . [1] Use Profile
v_radar_cycle_zoom_fwd     . kb1 _ comma         . [1] Use Profile
v_radar_cycle_focus_fwd    + js3 _ button13       . [1] Use Profile
v_radar_toggle_view_focus  + js3 _ rctrl+button13 . [1] Use Profile

*** spaceship_hud
v_hud_cycle_mode_fwd       . kb1 _ apostrophe     . [1] Use Profile
v_hud_cycle_mode_back      . kb1 _ semicolon      . [1] Use Profile
v_hud_focused_cycle_mode_fwd . xi1 _ shoulderr      . [1] Use Profile
v_hud_focused_cycle_mode_back . xi1 _ shoulderl      . [1] Use Profile
v_hud_open_tab1           . kb1 _ f1             . [1] Use Profile
    
```


V2.18 added:

For bindings and activation:

- . indicates a profile entry i.e. a default setting
- + indicates a user mapping
- # indicates a user ActivationMode setting

Hints ...

How to use pp_rebindkeys easy in the game ?



- Clicking the Notepad icon top right copies the pp_rebindkeys command into the Clipboard – from there just Ctrl-V it into the SC console..

Note: if you want to be sure to apply only your new map first type pp_rebindkeys without a file and then Enter - the response of the game should be - loaded factory defaults ... Then use the command with your mapname (without the .xml extension)

How to apply keyboard commands and modifiers ?


Sometimes your command is not recognized with the first try

Check the Ctrl field each time and if it does not yet capture what you want – try once more. Also releasing all controls currently pressed **together** helps to get successful Ctrl. Entries.

What about commands you really don't want to be mapped in game ?

Sometimes default commands from CIG annoyingly interfere with your game style

- Load a Profile with defaults and filter if needed to find the problematic action
- If you find that this single kbd leftalt command is disturbing your use of the left alt modifier
- Reload your own map and 'Blend' that action for the keyboard to ignore it in the game




Hints ...

How to get the defaultProfile.xml now that it is no longer a text file?

V2.22 added:

- Hit 'Dump Profile'



... Gets you the complete used defaultProfile in the right window

Action Filter:

Profile: DataXML defaultProfile

- Right click in the listing to get a context menu to Copy / Paste or Save As..

```
<profile version="1" optionsversion="2" rebindversion="2" >
  <platforms >
    <PC keyboard="1" mouse="1" xboxpad="1" ps3pad="0" joystick="1" />
    <Xbox keyboard="1" xboxpad="1" ps3pad="0" />
    <PS3 keyboard="1" xboxpad="0" ps3pad="1" />
  </platforms>

  <actiongroup action="v_attack1" >
    <action name="v_attack1_group1" />
    <action name="v_attack1_group2" />
    <action name="v_attack1_group3" />
  </actiongroup>

  <ActivationModes >
    <ActivationMode name="tap" onPress="0" onHold="0" onRelease="1" multiTap="1" multiTapBlock="1" presst
    <ActivationMode name="double_tap" onPress="1" onHold="0" onRelease="0" multiTap="2" multiTapBlock="1"
    <ActivationMode name="double_tap_nonblocking" onPress="1" onHold="0" onRelease="0" multiTap="2" multiT
    <ActivationMode name="press" onPress="1" onHold="0" onRelease="0" multiTap="1" multiTapBlock="1" pres
    <ActivationMode name="delayed_press" onPress="1" onHold="0" onRelease="0" multiTap="1" multiTapBlock="
    <ActivationMode name="hold" onPress="1" onHold="0" onRelease="1" multiTap="1" multiTapBlock="1" retri
    <ActivationMode name="delayed_hold" onPress="1" onHold="0" onRelease="1" multiTap="1" multiTapBlock="1
    <ActivationMode name="smart_toggle" onPress="1" onHold="0" onRelease="1" multiTap="1" multiTapBlock="1
  </ActivationModes>

  <CustomisationUIHeader >
    <keyboard label="@ui_ResetToDefaults" description="@ui_KeyboardDefaultDesc" image="KeyboardDefault" />
    <xboxpad label="@ui_ResetToDefaults" description="@ui_GamepadDefaultDesc" image="GamePadDefault" />
    <joystick label="@ui_ResetToDefaults" description="@ui_JoystickDefaultDesc" image="JoystickDefault" />
  </CustomisationUIHeader>

  <optiontree type="keyboard" name="root" UIShowInvert="-1" UIShowSensitivity="-1" UISensitivityMin="0.01"
    <optiongroup name="master" UILabel="@ui_COMasterSensitivity" UIShowSensitivity="1" UIShowInvert="0" >
      <optiongroup name="inversion" UILabel="@COMasterSensitivityCurvesMouse" UIShowCurve="-1" UIShowSensitiv
        <optiongroup name="inversion" UILabel="@ui_COInversionSettings" UIShowSensitivity="0" UIShowInvert="-1"
          <optiongroup name="fps" UILabel="@ui_COFPS" UIShowSensitivity="1" UIShowInvert="0" >
            <optiongroup name="fps_view" >
              <optiongroup name="fps_view_pitch" UILabel="@ui_COFPSViewPitch" invert_cvar="cl_invertMouse" l
              <optiongroup name="fps_view_yaw" UILabel="@ui_COFPSViewYaw" UIShowSensitivity="1" UIShowInvert
            </optiongroup>
          </optiongroup>
        </optiongroup>
      <optiongroup name="flight" UILabel="@ui_COflight" UIShowSensitivity="0" UIShowInvert="0" >
        <optiongroup name="flight_move" UILabel="@ui_COflightMove" UIShowSensitivity="1" >
          <optiongroup name="flight_move_pitch" UILabel="@ui_COflightPitch" UIShowSensitivity="1" UIShow
          <optiongroup name="flight_move_yaw" UILabel="@ui_COflightYaw" UIShowSensitivity="1" UIShowInvert
        </optiongroup>
      </optiongroup>
    </optiongroup>
  </optiontree>
```

Hints ...

Space for future use ...



Brought to you by Cassini 2016
Data and RSI spacecraft are derived work from the RSI homepage

Changelog:

V2.18 - update Hints - List Commands - add description for + and =, add joystick modifier timeout description, add mouse commands

V2.21 - update Mouse context menu and new screenshots where the version is shown

V2.22 - add Underlined ActivationModes, DumpProfile button and new screenshots where the version is shown

V2.23 - add Actiontree as table description and new screenshots where the version is shown